AUTHOR INDEX

Ackerman, Michael J.: Shared-resource computing for small research labs, 137
Albert, H.T., *see*: Hennig, E.M., Cavanagh, P.R., Albert, H.T. and Macmillan, N.H.
Allen, M., *see:* Johnson, F., Oborne, J., Allen, M. and Waugh, W.
Amis, A.A., *see:* Weightman, B. and Amis, A.A.
Arslan, E., *see:* Michelini, S., Arslan, E., Prosser, S. and Pedrielli, F.
Aubert, André E., *see:* Denys, Bart G.; Aubert, André E.; Denef, Boudewijn; Van De Werf, Frans; De Geest, Hilaire and Kesteloot, Hugo
Bajd, T. and Bowman, B.: Testing and modelling of spasticity, 90
Barbenel, J.C., *see:* Wan Abas, W.A.B. and Barbenel, J.C.
Barbini, P.: Non-linear model of the mechanics of breathing applied to the use and design of ventilators, 294
Bates, J.F., *see:* Obeid, A.A., Stafford, G.D. and Bates, J.F.
Bergmann, G., *see:* Rohlmann, A., Mössner, U., Bergmann, G. and Kolbel, R.
Bojsen, Jørgen, *see:* Mortensen, Børge Thing and Bojsen, Jørgen
Bonfield, W. and Tully, A.E.: Ultrasonic analysis of the Young's modulus of cortical bone, 23
Bowman, B., *see:* Bajd, T. and Bowman, B.
Brault, Y., *see:* Jarry, G., Bui-Mong-Hung, Maarek, J.M., Brault, Y., Lautier, A. and Laurent, D.
Brown, T.R.M. and MacGregor, J.: An infra-red reflectance system for ambulatory characterization of left ventricular function, 142
Brubakk, Alf O., *see:* Eik-Nes, Sturla H.; Marsal, Karel; Brubakk, Alf O.; Kristofferson, Kjell and Ulstein, Magnar
Bui-Mong-Hung, *see:* Jarry, G., Bui-Mong-Hung, Maarek, J.M., Brault, Y., Lautier, A. and Laurent, D.
Caberg, H.B., *see:* Kodde, L., Caberg, H.B., Mol, J.M.F. and Massen, C.H.
Cavanagh, P.R., *see:* Hennig, E.M., Cavanagh, P.R., Albert, H.T. and Macmillan, N.H.
Challis, R.E., Chamberlain, J.H. and Smail, B.H.: A simply constructed system for mean blood flow measurement, 153
Challis, R.E. and Kitney, R.I.: The design of digital filters for biomedical signal processing: 1. Basic concepts, 000
Chamberlain, J.H., *see:* Challis, R.E., Chamberlain, J.H. and Smail, B.H.
Chatterjee, P.C. and Reddy, B.R.S.: A simple VCG system with temporal dimension, directional reference and display of component loops, 149
Chaudhry, F.I., Dennis, S.C.and Harness, J.B.: Spectral analysis of electrocardiogram signals of the isolated guinea pig heart for the detection of arrhythmias, 289
Chowdhury, S.K. and Majumder, A.K.: Frequency analysis of adventitious lung sounds, 305
Cooke, T.D.V., *see:* Wevers, H.W., Siu, D.W. and Cooke, T.D.V.
De Geest, Hilaire, *see:* Denys, Bart G.; Aubert, André E.; Denef, Boudewijn; Van De Werf, Frans; De Geest, Hilaire and Kesteloot, Hugo
Denef, Boudewijn, *see:* Denys, Bart G.; Aubert, André E.; Denef, Boudewijn; Van De Werf, Frans; De Geest, Hilaire and Kesteloot, Hugo
Dennis, S.C., *see:* Chaudhry, F.I., Dennis, S.C. and Harness, J.B.
Denys, Bart G.; Aubert, André E.; Denef, Boudewijn; Van De Werf, Frans; De Geest, Hilaire and Kesteloot, Hugo: Relationship between apexcardiogram, left ventricular pressure and wall stress, 9
Eik-Nes, Sturla H.; Marsal, Karel; Brubakk, Alf O.; Kristofferson, Kjell and Ulstein, Magnar: Ultrasonic measurement of human fetal blood flow, 28
Evans, D.F., *see:* Slater, E.J., Evans, D.F., Foster, G.E. and Hardcastle, J.D.
Foster, G.E., *see:* Slater, E.J., Evans, D.F., Foster, G.E. and Hardcastle, J.D.
Ganguli, S., *see:* Tibarewala, D.N. and Ganguli, S.
Gouw, G.J. and Wevers, H.W.: Behaviour of an Instron 1122 under cyclic testing over a small displacement range, 72
Graupe, Daniel; Salahi, Javad and Kohn, Kate H.: Multifunctional prosthesis and orthosis control via microcomputer identification of temporal pattern differences in single-site myoelectric signals, 17
Green, R.J., *see:* Perkins, W.J. and Green, R.J.
Halfdanarson, H., *see:* Hatton, A.P. and Halfdanarson, H.
Hancox, A.J. and Scrimshire, D.A.: Refinement and validation of a model describing synthesis, storage and release of acetylcholine at the neuromuscular junction, 206
Hanka, R., *see:* Pynsent, P.B. and Hanka, R.
Hardcastle, J.D., *see:* Slater, E.J., Evans, D.F., Foster, G.E. and Hardcastle, J.D.
Harness, J.B., *see:* Chaudhry, F.I., Dennis, S.C. and Harness, J.B.
Hastings, G.W.: The profession of bioengineering and the B.E.S., 159
Hatton, A.P. and Halfdanarson, H.: The role of contact resistance in skin burns, 97
Hennig, E.M., Cavanagh, P.R., Albert, H.T. and Macmillan, N.H.: A piezoelectric method of measuring the vertical contact stress beneath the human foot, 213
Hoffman, M., *see:* Naiecz, M., Hoffman, M., Maniewski, R., Nowicka, J., Rydlewska-Sadowska, W. and Tarlowski, A.
Jackman, M.J., *see:* Yettram, A.L. and Jackman, M.J.
Jarry, G., Bui-Mong-Hung, Maarek, J.M., Brault, Y., Lautier, A. and Laurent, D.: A hybrid device for measurement of left ventricular heat production, 227
Jones, D.P., Webber, W.R.S., Smith, A.T., Lloyd-Jones, D. and Wright, P.: Ophthalmic fluorophotometry: a new solid state fluorophotometer, 113
Johnson, F., Oborne, J., Allen, M. and Waugh, W.: Continuous assessment of knee function and patient mobility, 2
Kapur, P., *see:* Nath, N.G. and Kapur, P.
Kesteloot, Hugo, *see:* Denys, Bart G.; Aubert, André E; Denef, Boudewijn; Van De Werf, Frans; De Geest, Hilaire and Kesteloot, Hugo
Kitney, R.I., *see:* Challis, R.E. and Kitney, R.I.
Kodde, L., Caberg, H.B., Mol, J.M.F. and Massen, C.H.: An application of mathematical models in posturography, 44
Kohn, Kate, H., *see:* Graupe, Daniel; Salahi, Javad and Kohn, Kate H.
Kolbel, R., *see:* Rohlmann, A., Mössner, U., Bergmann, G. and Kolbel, R.
Kristofferson, Kjell, *see:* Eik-Nes, Sturla H.; Marshal, Karel; Brubakk, Alf O.; Kristofferson, Kjell and Ulstein, Magnar
Laurent, D., *see:* Jarry, G. Bui-Mong-Hung, Maarek, J.M., Brault, Y., Lautier, A. and Laurent, D.
Lautier, A., *see:* Jarry, G., Bui-Mong-Hung, Maarek, J.M., Brault, Y., Lautier, A. and Laurent, D.
Lloyd-Jones, D., *see:* Jones, D.P., Webber, W.R.S., Smith, A.T., Lloyd-Jones, D. and Wright, P.
Lubon, C.A., *see:* Sinclair, G.B. and Lubon, C.A.
Maarek, J.M., *see:* Jarry, G., Bui-Mong-Hung, Maarek, J.M., Brault, Y., Lautier, A. and Laurent, D.
MacGregor, J., *see:* Brown, T.R.M. and MacGregor, J.
Macmillan, N.H., *see:* Hennig, E.M., Cavanagh, P.R., Albert, H.T. and Macmillan, N.H.
Majumder, A.K., *see:* Chowdhury, S.K. and Majumder, A.K.
Maniewski, R., *see:* Nalecz, M., Hoffman, M., Maniewski, R., Nowicka, J., Rydlewska-Sadowska, W. and Tarlowski, A.
Marsal, Karel, *see:* Eik-Nes, Sturla H.; Marsal, Karel; Brubakk, Alf O.; Kristofferson, Kjell and Ulstein, Magnar
Massen, C.H., *see:* Kodde, L., Caberg, H.B., Mol, J.M.F. and Massen, C.H.
Michelini, S., Arslan, E., Prosser, S. and Pedrielli, F.: Logarithmic display of auditory evoked potentials, 62
Minns, R.J.: A conductive rubber footswitch design for gait analysis, 328
Mol, J.M.F., *see:* Kodde, L., Caberg, H.B., Mol, J.M.F. and Massen, C.H.
Mortensen, Børge Thing and Bojsen, Jørgen: Evidence for growth inhibition by platinum electrodes at low current levels. 103
Mössner, U., *see:* Rohlmann, A., Mössner, U., Bergmann, G. and Kolbel, R.
Nakamura, Motoomi, *see:* Watanabe, Yoshiaki; Nose, Yoshiaki; Sanefuji, Seiya; Yokota, Masao and Nakamura, Motoomi
Nalecz, M., Hoffman, M., Maniewski, R., Nowicka, J., Rydlewska-Sadowska, W. and Tarlowski, A.: Hall effect transducer for apexcardiography and sphygmography, 313
Nath, N.G. and Kapur, P.: Nonlinearity in pulmonary airway dynamics, 223
Nose, Yoshiaki, *see:* Watanabe, Yoshiaki; Nose, Yoshiaki; Sanefuji, Seiya; Yokota, Masao and Nakamura, Motoomi
Nowicka, J., *see:* Nalecz, M., Hoffman, M., Maniewski, R., Nowicka, J., Rydlewska-Sadowska, W. and Tarlowski, A.
Obeid, A.A., Stafford, G.D. and Bates, J.F.: Clinical studies of strain behaviour of complete dentures, 49
Oborne, J., *see:* Johnson, F., Oborne, J., Allen, M. and Waugh, W.
Pearcy, M.J. and Whittle, M.W.: Movements of the lumbar spine measured by three-dimensional X-ray analysis, 107

AUTHOR INDEX

Ackerman, Michael J.: Shared-resource computing for small research labs, 137
Albert, H.T., *see*: Hennig, E.M., Cavanagh, P.R., Albert, H.T. and Macmillan, N.H.
Allen, M., *see:* Johnson, F., Oborne, J., Allen, M. and Waugh, W.
Amis, A.A., *see:* Weightman, B. and Amis, A.A.
Arslan, E., *see:* Michelini, S., Arslan, E., Prosser, S. and Pedrielli, F.
Aubert, André E., *see:* Denys, Bart G.; Aubert, André E.; Denef, Boudewijn; Van De Werf, Frans; De Geest, Hilaire and Kesteloot, Hugo
Bajd, T. and Bowman, B.: Testing and modelling of spasticity, 90
Barbenel, J.C., *see:* Wan Abas, W.A.B. and Barbenel, J.C.
Barbini, P.: Non-linear model of the mechanics of breathing applied to the use and design of ventilators, 294
Bates, J.F., *see:* Obeid, A.A., Stafford, G.D. and Bates, J.F.
Bergmann, G., *see:* Rohlmann, A., Mössner, U., Bergmann, G. and Kolbel, R.
Bojsen, Jørgen, *see:* Mortensen, Børge Thing and Bojsen, Jørgen
Bonfield, W. and Tully, A.E.: Ultrasonic analysis of the Young's modulus of cortical bone, 23
Bowman, B., *see:* Bajd, T. and Bowman, B.
Brault, Y., *see:* Jarry, G., Bui-Mong-Hung, Maarek, J.M., Brault, Y., Lautier, A. and Laurent, D.
Brown, T.R.M. and MacGregor, J.: An infra-red reflectance system for ambulatory characterization of left ventricular function, 142
Brubakk, Alf O., *see:* Eik-Nes, Sturla H.; Marsal, Karel; Brubakk, Alf O.; Kristofferson, Kjell and Ulstein, Magnar
Bui-Mong-Hung, *see:* Jarry, G., Bui-Mong-Hung, Maarek, J.M., Brault, Y., Lautier, A. and Laurent, D.
Caberg, H.B., *see:* Kodde, L., Caberg, H.B., Mol, J.M.F. and Massen, C.H.
Cavanagh, P.R., *see:* Hennig, E.M., Cavanagh, P.R., Albert, H.T. and Macmillan, N.H.
Challis, R.E., Chamberlain, J.H. and Smail, B.H.: A simply constructed system for mean blood flow measurement, 153
Challis, R.E. and Kitney, R.I.: The design of digital filters for biomedical signal processing: 1. Basic concepts, 000
Chamberlain, J.H., *see:* Challis, R.E., Chamberlain, J.H. and Smail, B.H.
Chatterjee, P.C. and Reddy, B.R.S.: A simple VCG system with temporal dimension, directional reference and display of component loops, 149
Chaudhry, F.I., Dennis, S.C.and Harness, J.B.: Spectral analysis of electrocardiogram signals of the isolated guinea pig heart for the detection of arrhythmias, 289
Chowdhury, S.K. and Majumder, A.K.: Frequency analysis of adventitious lung sounds, 305
Cooke, T.D.V., *see:* Wevers, H.W., Siu, D.W. and Cooke, T.D.V.
De Geest, Hilaire, *see:* Denys, Bart G.; Aubert, André E.; Denef, Boudewijn; Van De Werf, Frans; De Geest, Hilaire and Kesteloot, Hugo
Denef, Boudewijn, *see:* Denys, Bart G.; Aubert, André E.; Denef, Boudewijn; Van De Werf, Frans; De Geest, Hilaire and Kesteloot, Hugo
Dennis, S.C., *see:* Chaudhry, F.I., Dennis, S.C. and Harness, J.B.
Denys, Bart G.; Aubert, André E.; Denef, Boudewijn; Van De Werf, Frans; De Geest, Hilaire and Kesteloot, Hugo: Relationship between apexcardiogram, left ventricular pressure and wall stress, 9
Eik-Nes, Sturla H.; Marsal, Karel; Brubakk, Alf O.; Kristofferson, Kjell and Ulstein, Magnar: Ultrasonic measurement of human fetal blood flow, 28
Evans, D.F., *see:* Slater, E.J., Evans, D.F., Foster, G.E. and Hardcastle, J.D.
Foster, G.E., *see:* Slater, E.J., Evans, D.F., Foster, G.E. and Hardcastle, J.D.
Ganguli, S., *see:* Tibarewala, D.N. and Ganguli, S.
Gouw, G.J. and Wevers, H.W.: Behaviour of an Instron 1122 under cyclic testing over a small displacement range, 72
Graupe, Daniel; Salahi, Javad and Kohn, Kate H.: Multifunctional prosthesis and orthosis control via microcomputer identification of temporal pattern differences in single-site myoelectric signals, 17
Green, R.J., *see:* Perkins, W.J. and Green, R.J.
Halfdanarson, H., *see:* Hatton, A.P. and Halfdanarson, H.
Hancox, A.J. and Scrimshire, D.A.: Refinement and validation of a model describing synthesis, storage and release of acetylcholine at the neuromuscular junction, 206
Hanka, R., *see:* Pynsent, P.B. and Hanka, R.
Hardcastle, J.D., *see:* Slater, E.J., Evans, D.F., Foster, G.E. and Hardcastle, J.D.
Harness, J.B., *see:* Chaudhry, F.I., Dennis, S.C. and Harness, J.B.
Hastings, G.W.: The profession of bioengineering and the B.E.S., 159
Hatton, A.P. and Halfdanarson, H.: The role of contact resistance in skin burns, 97
Hennig, E.M., Cavanagh, P.R., Albert, H.T. and Macmillan, N.H.: A piezoelectric method of measuring the vertical contact stress beneath the human foot, 213
Hoffman, M., *see:* Naiecz, M., Hoffman, M., Maniewski, R., Nowicka, J., Rydlewska-Sadowska, W. and Tarlowski, A.
Jackman, M.J., *see:* Yettram, A.L. and Jackman, M.J.
Jarry, G., Bui-Mong-Hung, Maarek, J.M., Brault, Y., Lautier, A. and Laurent, D.: A hybrid device for measurement of left ventricular heat production, 227
Jones, D.P., Webber, W.R.S., Smith, A.T., Lloyd-Jones, D. and Wright, P.: Ophthalmic fluorophotometry: a new solid state fluorophotometer, 113
Johnson, F., Oborne, J., Allen, M. and Waugh, W.: Continuous assessment of knee function and patient mobility, 2
Kapur, P., *see:* Nath, N.G. and Kapur, P.
Kesteloot, Hugo, *see:* Denys, Bart G.; Aubert, André E; Denef, Boudewijn; Van De Werf, Frans; De Geest, Hilaire and Kesteloot, Hugo
Kitney, R.I., *see:* Challis, R.E. and Kitney, R.I.
Kodde, L., Caberg, H.B., Mol, J.M.F. and Massen, C.H.: An application of mathematical models in posturography, 44
Kohn, Kate, H., *see:* Graupe, Daniel; Salahi, Javad and Kohn, Kate H.
Kolbel, R., *see:* Rohlmann, A., Mössner, U., Bergmann, G. and Kolbel, R.
Kristofferson, Kjell, *see:* Eik-Nes, Sturla H.; Marshal, Karel; Brubakk, Alf O.; Kristofferson, Kjell and Ulstein, Magnar
Laurent, D., *see:* Jarry, G. Bui-Mong-Hung, Maarek, J.M., Brault, Y., Lautier, A. and Laurent, D.
Lautier, A., *see:* Jarry, G., Bui-Mong-Hung, Maarek, J.M., Brault, Y., Lautier, A. and Laurent, D.
Lloyd-Jones, D., *see:* Jones, D.P., Webber, W.R.S., Smith, A.T., Lloyd-Jones, D. and Wright, P.
Lubon, C.A., *see:* Sinclair, G.B. and Lubon, C.A.
Maarek, J.M., *see:* Jarry, G., Bui-Mong-Hung, Maarek, J.M., Brault, Y., Lautier, A. and Laurent, D.
MacGregor, J., *see:* Brown, T.R.M. and MacGregor, J.
Macmillan, N.H., *see:* Hennig, E.M., Cavanagh, P.R., Albert, H.T. and Macmillan, N.H.
Majumder, A.K., *see:* Chowdhury, S.K. and Majumder, A.K.
Maniewski, R., *see:* Nalecz, M., Hoffman, M., Maniewski, R., Nowicka, J., Rydlewska-Sadowska, W. and Tarlowski, A.
Marsal, Karel, *see:* Eik-Nes, Sturla H.; Marsal, Karel; Brubakk, Alf O.; Kristofferson, Kjell and Ulstein, Magnar
Massen, C.H., *see:* Kodde, L., Caberg, H.B., Mol, J.M.F. and Massen, C.H.
Michelini, S., Arslan, E., Prosser, S. and Pedrielli, F.: Logarithmic display of auditory evoked potentials, 62
Minns, R.J.: A conductive rubber footswitch design for gait analysis, 328
Mol, J.M.F., *see:* Kodde, L., Caberg, H.B., Mol, J.M.F. and Massen, C.H.
Mortensen, Børge Thing and Bojsen, Jørgen: Evidence for growth inhibition by platinum electrodes at low current levels. 103
Mössner, U., *see:* Rohlmann, A., Mössner, U., Bergmann, G. and Kolbel, R.
Nakamura, Motoomi, *see:* Watanabe, Yoshiaki; Nose, Yoshiaki; Sanefuji, Seiya; Yokota, Masao and Nakamura, Motoomi
Nalecz, M., Hoffman, M., Maniewski, R., Nowicka, J., Rydlewska-Sadowska, W. and Tarlowski, A.: Hall effect transducer for apexcardiography and sphygmography, 313
Nath, N.G. and Kapur, P.: Nonlinearity in pulmonary airway dynamics, 223
Nose, Yoshiaki, *see:* Watanabe, Yoshiaki; Nose, Yoshiaki; Sanefuji, Seiya; Yokota, Masao and Nakamura, Motoomi
Nowicka, J., *see:* Nalecz, M., Hoffman, M., Maniewski, R., Nowicka, J., Rydlewska-Sadowska, W. and Tarlowski, A.
Obeid, A.A., Stafford, G.D. and Bates, J.F.: Clinical studies of strain behaviour of complete dentures, 49
Oborne, J., *see:* Johnson, F., Oborne, J., Allen, M. and Waugh, W.
Pearcy, M.J. and Whittle, M.W.: Movements of the lumbar spine measured by three-dimensional X-ray analysis, 107

Pedrielli, F., *see:* Michelini, S., Arslan, E., Prosser, S. and Pedrielli, F.
Perkins, W.J. and Green, R.J.: Three-dimensional reconstruction of biological sections, 37
Prosser, S., *see:* Michelini, S., Arslan, E., Prosser, S. and Pedrielli, F.
Pynsent, P.B. and Hanka, R.: A simple program for a phaseless recursive digital filter, 252
Ranu, H.S.: Three dimensional surgical simulations of the spine, 285
Reddy, B.R.S., *see:* Chatterjee, P.C. and Reddy, B.R.S.
Roberts, John R., *see:* Whelpton, David and Roberts, John R.
Roberts, V.C.: Registration of clinical engineers – progress towards international professionalism, 155
Rocca, L., *see:* Taylor, A.G. and Rocca, L.
Rohlmann, A., Mössner, U., Bergmann, G. and Kolbel, R.: Finite-element-analysis and experimental investigation of stresses in a femur, 241
Rydlewska-Sadowska, W., *see:* Nalecz, M., Hoffman, M., Maniewski, R., Nowicka, J. Rydlewska-Sadowska, W., and Tarlowski, A.
Salahi, Javad, *see:* Graupe, Daniel; Salahi, Javad and Kohn, Kate H.
Sanefuji, Seiya, *see:* Watanabe, Yoshiaki; Nose, Yoshiaki; Sanefuji, Seiya; Yokota, Masao and Nakamura, Motoomi
Scrimshire, D.A., *see:* Hancox, A.J. and Scrimshire, D.A.
Sharan, M., *see:* Singh, M.P., Sharan, M. and Verma, S.B.
Sinclair, G.B. and Lubon, C.A.: Design of a lifelong Harrington rod, 133
Singh, M.P., Sharan, M. and Verma, S.B.: Transport of gases in pulmonary capillaries – a computation of equilibrium constants arising in the oxygen dissociation curve, 279
Siu, D.W., *see:* Wevers, H.W., Siu, D.W. and Cooke, T.D.V.
Slater, E.J., Evans, D.F., Foster, G.E. and Hardcastle, J.D.: A portable radiotelemetry receiver for ambulatory monitoring, 247
Smail, B.H., *see:* Challis, R.E., Chamberlain, J.H. and Smail, B.H.
Smith, A.T., *see:* Jones, D.P., Webber, W.R.S., Smith, A.T., Lloyd-Jones, D. and Wright, P.
Stafford, G.D., *see:* Obeid, A.A., Stafford, G.D. and Bates, J.F.
Strandness, Jr., D.E.: The role of technology in vascular surgery, 179
Tarlowski, A., *see:* Nalecz, M., Hoffman, M., Maniewski, R., Nowicka, J., Rydlewska-Sadowska, W., and Tarlowski, A.
Taylor, A.G. and Rocca, L.: An improved swivel walker for paraplegics, 000
Thurston, A.J.: Repeatability studies of a television/computer system for measuring spinal and pelvic movements, 129
Tibarewala, D.N. and Ganguli, S.: Static weight-bearing patterns of below-knee amputees using patellar-tendon-bearing prostheses, 55
Tibarewala, D.N. and Ganguli, S.: Pattern recognition in tachographic gait records of normal and lower extremity handicapped human subjects, 233
Tully, A.E., *see:* Bonfield, W. and Tully, A.E.
Ulstein, Magnar, *see:* Eik-Nes, Sturla, H.; Marsal, Karel; Brubakk, Alf O.; Kristofferson, Kjell and Ulstein, Magnar
Van de Werf, Frans, *see:* Denys, Bart G.; Aubert, André E.; Denef, Boudewijn; Van De Werf, Frans; De Geest, Hilaire and Kesteloot, Hugo
Verma, S.B., *see:* Singh, M.P., Sharan, M. and Verma, S.B.
Wan Abas, W.A.B. and Barbenel, J.C.: Uniaxial tension test of human skin *in vivo*, 65
Watanabe, Yoshiaki; Nose, Yoshiaki; Sanefuji, Seiya; Yokota, Masao and Nakamura. Motoomi: A method to estimate cardiac volume by two-dimensional echocardiograms recorded from one extracorporeal point, 125
Waugh, W., *see:* Johnson, F., Oborne, J., Allen, M. and Waugh, W.
Webber, W.R.S., *see:* Jones, D.P., Webber, W.R.S., Smith, A.T., Lloyd-Jones, D. and Wright, P.
Weightman, B. and Amis, A.A.: Finger joint force predictions related to design of joint replacements, 197
Wevers, H.W., *see:* Gouw, G.J. and Wevers, H.W.
Wevers, H.W., Siu, D.W. and Cooke, T.D.V.: A quantitative method of assessing malalignment and joint space loss of the human knee, 319
Whelpton, David and Roberts, John R.: Safety of medical electrical equipment and BS5724, 185
Whittle, M.W., *see:* Pearcy, M.J. and Whittle, M.W.
Wright, P., *see:* Jones, D.P., Webber, W.R.S., Smith, A.T., Lloyd-Jones, D. and Wright, P.
Yettram, A.L. and Jackman, M.J.: Structural analysis for the forces in the human spinal column and its musculature, 118
Yokota, Masao, *see:* Watanabe, Yoshiaki; Nose, Yoshiaki; Sanefuji, Seiya; Yokota, Masao and Nakamura, Motoomi
Zaciu, C.: Analysis of certain errors in voltage-clamp measurements on myelinated nerve fibre, 331

SUBJECT INDEX

Adventitious lung sounds, frequency analysis of, 305
Ambulatory characterization of left ventricular function, infra-red reflectance system for, 142
Ambulatory monitoring, a portable radiotelemetry receiver for, 247
Amputees, below-knee, using patellar-tendon-bearing prostheses, static weight-bearing patterns of, 55
Analysis of certain errors in voltage-clamp measurements on myelinated nerve fibre, 331
Apexcardiogram, left ventricular pressure and wall stress, relationship between, 9
Apexcardiography and sphygmography, Hall effect transducer for, 313
Application of mathematical models in posturography, 44
Arrhythmias, spectral analysis of electrocardiogram signals of the isolated guinea pig heart for the detection of, 289
Auditory evoked potentials, logarithmic display of, 62
Behaviour of an Instron 1122 under cyclic testing over a small displacement range, 72
Biological sections, three-dimensional reconstruction of, 37
Blood flow, human fetal, ultrasonic
Blood flow measurement, mean, a simply constructed system for, 153
measurement of, 28
Bone, Young's modulus of cortical, ultrasonic analysis of the, 23
Breathing, non-linear model of the mechanics of, applied to the use and design of ventilators, 294
BS5724, safety of medical electrical equipment and, 185
Burns, skin, the role of contact resistance in, 97
Cardiac volume, a method to estimate, by two-dimensional echocardiogram recorded from one extracorporeal point, 125
Clinical engineers, registration of, progress towards international professionalism, 155
Clinical studies of strain behaviour of complete dentures, 49
Computing, shared-resource, for small research labs, 137
Conductive rubber foot switch design for gait analysis, 328
Contact resistance in skin burns, the role of, 97
Contact stress, vertical, beneath the human foot, a piezoelectric method of measuring the, 213
Continuous assessment of knee function and patient mobility, 2
Cyclic testing over a small displacement range, behaviour of an Instron 1122 under, 72
Dentures, complete, clinical studies of strain behaviour of, 49
Design of a lifelong Harrington rod, 133
Design of digital filters for biomedical signal processing, 267
Digital filter, a simple program for a phaseless recursive, 252
Digital filters for biomedical signal processing, the design of, 267
Display, logarithmic, of auditory evoked potentials, 62
Echocardiogram, two-dimensional, recorded from one extracorporeal point, a method to estimate cardiac volume by, 125
Electrical equipment, safety of medical, and BS6724, 185
Electrocardiogram signals of the isolated guinea pig heart for the detection of arrhythmias, spectral analysis of, 289
Electrodes, platinum, at low current levels, evidence for growth inhibition by, 103
Evoked potentials, auditory, logarithmic display of, 62
Femur, finite-element-analysis and experimental investigation of stresses in a, 241
Fetal blood flow, human, ultrasonic measurement of, 28
Finger joint force predictions related to design of joint replacements, 197
Finite-element-analysis and experimental investigation of stresses in a femur, 241
Fluorophotometer, a new solid state, ophthalmic fluorophotometry, 113

Foetal see Fetal
Foot, a piezoelectric method of measuring the vertical contact stress beneath the human, 213
Foot switch design, a conductive rubber, for gait analysis, 328
Forces in the human spinal column and its musculature, structural analysis for the, 118
Frequency analysis of adventitious lung sounds, 305
Gait analysis, a conductive rubber foot switch design for, 328
Gait records of normal and lower extremity handicapped human subjects, tachographic, pattern recognition in, 233
Gases in pulmonary capillaries, transport, A computation of equilibrium constants arising in the oxygen dissociation curve, 279
Growth inhibition by platinum electrodes at low current levels, evidence for, 103
Hall effect transducer for apexcardiography and sphygmography, 313
Handicapped human subjects, tachographic gait records of normal and lower extremity, pattern recognition in, 233
Harrington rod, design of a lifelong, 133
Hybrid device for measurement of left ventricular heat production, 227
Improved swivel walker for paraplegics, 325
Infra-red reflectance system for ambulatory characterization of left ventricular function, 142
Instron 1122, behaviour of an, under cyclic testing over a small displacement range, 72
Joint replacements, design of, finger joint force predictions related to, 197
Joint space loss of the human knee, a quantitative method of assessing malalignment and, 319
Knee function and patient mobility, continuous assessment of, 2
Knee, malalignment and joint space loss of the human; a quantitative method of assessing, 319
Left ventricular function, an infra-red reflectance system for ambulatory characterization of, 142
Left ventricular heat production, a hybrid device for measurement of, 227
Left ventricular pressure and wall stress, relationship between apexcardiogram, 9
Logarithmic display of auditory evoked potentials, 62
Lumbar spine, movements of the, measured by three-dimensional X-ray analysis, 107
Mathematical models, an application of, in posturography, 44
Mobility, patient, continuous assessment of knee function and, 2
Model describing synthesis, storage and release of acetylcholine at the neuromuscular junction, refinement and validation of a, 206
Modelling of spasticity, testing and, 90
Multifunctional prosthesis and orthosis control via microcomputer identification of temporal pattern differences in single-site myoelectric signals, 17
Myoelectric signals, single-site, multifunctional prosthesis and orthosis control via microcomputer identification of temporal pattern differences in, 17
Myelinated nerve fibre, voltage-clamp measurements, analysis of certain errors in, 331
Neuromuscular juntion, refinement and validation of a model describing synthesis, storage and release of acetylcholine at the, 206
Nonlinearity in pulmonary airway dynamics, 223
Non-linear model of the mechanics of breathing applied to the use and design of ventilators, 294
Ophthalmic fluorophotometry: a new solid state fluorophotometer, 113
Orthosis control, multifunctional prosthesis and, via microcomputer identification of temporal pattern differences in single-site myoelectric signals, 17
Paraplegics, an improved swivel walker for, 325
Patellar-tendon-bearing prostheses, static weight-bearing patterns of below-knee amputees using, 55
Pattern differences in single-site myoelectric signals, multifunctional prosthesis and orthosis control via microcomputer identification of temporal, 17
Pattern recognition in tachographic gait records of normal and lower extremity handicapped human subjects, 233
Piezoelectric method of measuring the vertical contact stress beneath the human foot, 213
Portable radiotelemetry receiver for ambulatory monitoring, 247
Posturography, an application of mathematical models in, 44
Profession of bioengineering and the B.E.S., 159
Program for a phaseless recursive digital filter, 252
Prosthesis and orthosis control, multifunctional, via microcomputer identification of temporal pattern differences in single-site myoelectric signals, 17
Pulmonary airway dynamics, nonlinearity in, 223
Pulmonary capillaries, transport of gases in, a computation of equilibrium constants arising in the oxygen dissociation curve, 279
Quantitative method of assessing malalignment and joint space loss of the human knee, 319
Radiotelemetry receiver for ambulatory monitoring, a portable, 247
Registration of clinical engineers – progress towards international professionalism, 155
Refinement and validation of a model describing synthesis, storage and release of acetylcholine at the neuromuscular junction, 206
Relationship between apexcardiogram, left ventricular pressure and wall stress, 9
Repeatability studies of a television/computer system for measuring spinal and pelvic movements, 129
Role of technology in vascular surgery, 179
Safety of medical electrical equipment and BS5724, 185
Shared-resource computing for small research labs, 137
Signal processing, biomedical, the design of digital filters for, 267
Skin, human, uniaxial tension test of, *in vivo*, 65
Spasticity, testing and modelling of, 90
Spectral analysis of electrocardiogram signals of the isolated guinea pig heart for the detection of arrhythmias, 289
Sphygmography, Hall effect transducer for apexcardiography and, 313
Spinal and pelvic movements, repeatability studies of a television/computer system for measuring, 129
Spinal column and its musculature, human, structural analysis for the forces in the, 118
Spine, three dimensional surgical simulations of the, 285
Static weight-bearing patterns of below-knee amputees using patellar-tendon-bearing prostheses, 55
Strain behaviour of complete dentures, clinical studies of, 49
Stresses in a femur, finite-element-analysis and experimental investigation of, 241
Structural analysis for the forces in the human spinal column and its musculature, 118
Swivel walker, an improved, for paraplegics, 325
Tachographic gait records of normal and lower extremity handicapped human subjects, pattern recognition in, 233
Television/computer system, repeatability studies of a, for measuring spinal and pelvic movements, 129
Tension test, uniaxial, of human skin *in vivo*, 65
Three dimensional reconstruction of biological sections, 37
Three dimensional surgical simulations of the spine, 285
Three dimensional X-ray analysis, movements of the lumbar spine measured by, 107
Transducer, Hall effect, for apexcardiography and sphygmography, 313
Transport of gases in pulmonary capillaries a computation of equilibrium constants arising in the oxygen dissociation curve, 279
Ultrasonic analysis of the Young's modulus of cortical bone, 23
Ultrasonic measurement of human fetal blood flow, 28
Uniaxial tension test of human skin *in vivo*, 65
Vascular surgery, the role of technology in, 179
VCG system with temporal dimension, directional reference and display of component loops, a simple, 149
Ventilators, design of, non-linear model of the mechanics of breathing applied to the use and, 294
Voltage clamp measurements on myelinated nerve fibre, analysis of certain errors in, 331
Wall stress, relationship between apexcardiogram, left ventricular pressure and, 9
Weight-bearing patterns, static, of below-knee amputees using patellar-tendon-bearing prostheses, 55
X-ray analysis, three-dimensional, movements of the lumbar spine measured by, 107
Young's modulus of cortical bone, ultrasonic analysis of the, 23